BLM LIBRARY
88069947

COPE PROGRAM BIBLIOGRAPHY

FISCAL YEARS
1987 through 1994

November 1994

	Initials /date
DM	MC
✓ADM	
✓A	
✓ECS	~~sh~~ sm
✓RES	ADT
✓OR	RT
✓OPS	
✓ADMIN	
✓UAM	
✓TAM	
✓MAM	

QH
541.5
.C65
C676
1994

#91760224 6 ID 88069947

QH
541.5
.C65
C676
1994

Introduction

This bibliography contains all publications produced by the Coastal Oregon Productivity Enhancement (COPE) Program during the period of FY 1987 - FY 1994 (March 1, 1987 - September 30, 1994). It also includes all articles published in the quarterly newsletter *COPE Report* which first appeared in 1988. The COPE bibliography is revised in November of each year.

The goal of the program is to develop knowledge that will contribute to increased economic and social benefits derived from the forests and streams of the Oregon Coast Range. Achieving this goal requires that two objectives be fulfilled: (1) develop new information on reforestation and management of riparian zones; and (2) facilitate the implementation of research results by demonstrating improved practices to users.

The COPE Program, initiated in 1987, is administered by the USDA Forest Service's Pacific Northwest Research Station and Oregon State University's College of Forestry. An advisory council consisting of representatives from cooperating organizations provides program administrators with advice on program policy, direction, funding, and effectiveness.

The Program has two related parts: *Fundamental COPE* and *Adaptive COPE*. In Fundamental COPE, Forest Service and College of Forestry scientists develop new information through basic research. The Adaptive COPE Team is comprised of College of Forestry scientists and is stationed at the Hatfield Marine Science Center in Newport. This Team conducts adaptive research and tests the applicability of existing research to conditions in the Oregon Coast Range. It has major responsibility for technology transfer, which is directed primarily to professional audiences. Included in this effort are workshops, field trips, publication of the quarterly newsletter, *COPE Report*, and one-on-one consultations with individuals from cooperating organizations. The Adaptive Team is also responsible for increasing the public's awareness of COPE activities. County Extension forestry agents work closely with Adaptive Team members to extend the Program throughout the 13-county COPE area.

Primary funding for the COPE Program is provided by the USDI National Biological Survey and the USDA Forest Service's Pacific Northwest Research Station. Additional funds come from other federal and state agencies, forest industry, county and city governments, and the Oregon Small Woodlands Association. In FY 1994, there were 34 cooperating organizations. The COPE Program is scheduled to be completed in 1998.

BUREAU OF LAND MANAGEMENT LIBRARY
BLDG. 50,
DENVER FEDERAL CENTER
P.O. BOX 25047
DENVER, COLORADO 80225

Table of Contents

COPE Publications for the period FY 1987 - FY 1994 PAGE

I. Economics 1

II. Fire 2

III. Fisheries 5

IV. General Silviculture 6

V. Landscape Ecology 9

VI. Miscellaneous Publications 10

VII. Recreation and Social Sciences 12

VIII. Riparian Silviculture 13

IX. Root Diseases 13

X. Slope Stability 14

XI. Wildlife 14

COPE Report articles for the period FY 1988 - FY 1994

I. Economics 19

II. Fire 19

III. Fisheries 19

IV. General Silviculture 20

V. Landscape Ecology 22

(continued)

COPE Report articles for the period FY 1988 - FY 1994 PAGE

VI. Miscellaneous Publications 23

VII. Recreation and Social Sciences 24

VIII. Riparian Silviculture 24

IX. Root Diseases 26

X. Slope Stability 26

XI. Wildlife 26

COPE PROGRAM
BIBLIOGRAPHY

PUBLICATIONS
FY 1987 through FY 1994

November 1994

COPE PROGRAM BIBLIOGRAPHY FY 1987 - FY 1994

I. Economics

Cleaves, D. and D. Brodie. 1990. Economic analysis of prescribed burning. P. 271-282 in J. Walstad, S. Radosevich, and D. Sandberg, eds; Natural and prescribed fire. Oregon State University Press; Corvallis, Oregon.

Hackworth, K. June 1988. Importance of timber-related revenues to local governments in Oregon and the effects of forests in Oregon on property tax rates. M.S. Thesis. Oregon State University, Corvallis, Oregon. 87 p.

Hackworth, K., and B.J. Greber. October 1988. Timber-Derived Revenues: Importance to Local Governments in Oregon (Fiscal Years 1982-3 through 1986-7). Special Publication #17; 70 p. Oregon State University; Corvallis, Oregon.

Olson, D.C. 1991. Calibration of Four Coastal IPASS Simulation Model Databases. Final report--Cooperative Agreement No. PNW-90708.

Paredes V, G.L., and J.D. Brodie. 1988. Activity analysis in forest planning. Forest Science. 34(1): 3-18.

Paredes V, G.L. 1988. Design of a resource allocation mechanism for multiple use forest planning. P. 35-45 in Proceedings: Symposium on Systems Analysis in Forest Resources. USDA Forest Service, Rocky Mtn. For. and Range Exp. Sta.; Ogden, Utah. General Technical Report RM-161.

Paredes V, G.L. and J.D. Brodie. 1989. Land value and the linkage between stand and forest level analyses. Land Economics. 65(2): 158-166.

Powell, L. 1991. Federal forest revenue-sharing in coastal Oregon: An assessment of historic and future tax equivalence. M.S. Thesis. Oregon State University, Corvallis, Oregon. 120 p.

Yoshimoto, A. 1991. Economic analysis of integrating spatial concerns into harvest scheduling. Ph.D. Dissertation. Oregon State University, Corvallis, Oregon. 188 p.

Yoshimoto, A. and J. D. Brodie. 1994. Comparative analysis of algorithms to generate adjacency constraints. Canadian Journal of Forestry Research. 24 (6): 1277-1288.

II. Fire

Agee, J. 1990. The historical role of fire in Pacific Northwest forests. P. 25-38 in J. Walstad, S. Radosevich, and D. Sandberg, eds; Natural and prescribed fire in Pacific Northwest forests. Oregon State University Press; Corvallis, Oregon.

Beschta, R. 1990. Effects of fire on water quantity and quality. P. 219-232 in J.Walstad, S. Radosevich, and D. Sandberg, eds.; Natural and prescribed fire in Pacific Northwest forests. Oregon State University Press; Corvallis, Oregon.

Borchers, J., and D. Perry. 1990. Effects of prescribed fire on soil organisms. P.143-157 in J. Walstad, S. Radosevich, and D. Sandberg, eds; Natural and prescribed fire in Pacific Northwest forests. Oregon State University Press; Corvallis, Oregon.

Clark, R., and E. Starkey. 1990. Use of prescribed fire in rangeland ecosystems. P.81-91 in J. Walstad, S. Radosevich, and D. Sandberg, eds; Natural and prescribed fire in Pacific Northwest forests. Oregon State University Press; Corvallis, Oregon.

Craig, J. 1990. Regulation of prescribed fire. P. 261-267 in J. Walstad, S. Radosevich, and D. Sandberg, eds; Natural and prescribed fire in Pacific Northwest forests. Oregon State University Press; Corvallis, Oregon.

deCalesta, D. 1990. Impact of prescribed burning on damage to conifers by wildlife. P.105-110 in J. Walstad, S. Radosevich, and D. Sandberg, eds; Natural and prescribed fire in Pacific Northwest forests. Oregon State University Press; Corvallis, Oregon.

Deeming, J. 1990. Effects of prescribed fire on wildfire occurrence and severity. P. 95-104 in J. Walstad, S. Radosevich, and D. Sandberg, eds; Natural and prescribed fire in Pacific Northwest forests. Oregon State University Press; Corvallis, Oregon.

Kauffman, J.B. 1990. Ecological relationships of vegetation and fire in Pacific Northwest forests. P. 39-42 in J. Walstad, S. Radosevich, and D. Sandberg, eds; Natural and prescribed fire in Pacific Northwest forests. Oregon State University Press; Corvallis, Oregon.

Little, S. 1990. Conserving resources and ameliorating losses from prescribed burning. P. 283-296 in J. Walstad, S. Radosevich, and D. Sandberg, eds; Natural and prescribed fire in Pacific Northwest forests. Oregon State University Press; Corvallis, Oregon.

Martin, R. 1990. Goals, methods, and elements of prescribed burning. P. 55-66 in J. Walstad, S. Radosevich, and D. Sandberg, eds; Natural and prescribed fire in Pacific Northwest forests. Oregon State University Press; Corvallis, Oregon.

McMahon, T., and D. deCalesta. 1990. Effects of fire on fish and wildlife. P. 233-250 in J. Walstad, S. Radosevich, and D. Sandberg, eds; Natural and prescribed fire in Pacific Northwest forests. Oregon State University Press; Corvallis, Oregon.

McNabb, D., and K. Cromack Jr. 1990. Effects of prescribed fire on nutrients and soil productivity. P. 125-142 in J. Walstad, S. Radosevich, and D. Sandberg, eds; Natural and prescribed fire in Pacific Northwest forests. Oregon State University Press; Corvallis, Oregon.

McNabb, D., and F. Swanson. 1990. Effects of fire on soil erosion. P. 159-176 in J. Walstad, S. Radosevich, and D. Sandberg, eds; Natural and prescribed fire in Pacific Northwest forests. Oregon State University Press; Corvallis, Oregon. 40 p.

Miller, R., and K. Seidel. 1990. Effects of prescribed fire on timber growth and yield. P. 177-188 in J. Walstad, S. Radosevich, and D. Sandberg, eds; Natural and prescribed fire in Pacific Northwest forests. Oregon State University Press; Corvallis, Oregon.

Mitchell, R. 1990. Effects of prescribed fire on insect pests. P. 111-116 in J. Walstad, S. Radosevich, and D. Sandberg, eds; Natural and prescribed fire in Pacific Northwest forests. Oregon State University Press; Corvallis, Oregon.

Norris, L. 1990. An overview and synthesis of knowledge concerning natural and prescribed fire in Pacific Northwest forests. P. 7-22 in J. Walstad, S. Radosevich, and D. Sandberg, eds; Natural and prescribed fire in Pacific Northwest forests. Oregon State University Press; Corvallis, Oregon.

Ottmar, R.D. 1987. Prescribed fire and fuel consumption in uncured slash--preliminary results. P. 132-136 in Proceedings: The 9th Conference on Fire and Forest Meteorology. San Diego, California. American Meteorological Society; Boston, Massachusetts.

Ottmar, R.D., and C.C. Hardy. April 1989. Stereo photo series for quantifying forest residues in coastal Oregon forests: second-growth Douglas-fir--western hemlock type, western hemlock--sitka spruce type, and red alder type. General Technical Report GTR 231. 67 p. USDA Forest Service; Portland, Oregon.

Ottmar, R., C. Hardy, and R. Vihnanek. May 1990. Stereo photo series for quantifying forest residues in the Douglas-fir-hemlock type of the Willamette National Forest. General Technical Report PNW-GTR-258. 63 p.

Ottmar, R.D., M. F. Burns, J.N. Hall, and A.D. Hanson. November 1992. CONSUME Users Guide. USDA Forest Service, Portland, Oregon. General Technical Report PNW-GTR-304. 118 p.

Sandberg, D., and F. Dost. 1990. Effects of prescribed fire on air quality and human health. P. 191-218 in J. Walstad, S. Radosevich, and D. Sandberg, eds; Natural and prescribed fire in Pacific Northwest forests. Oregon State University Press, Corvallis, Oregon.

Sandberg, D.V., J.L. Peterson, R.D. Ottmar, D.A. Barnes, and J.L. Mikowski. 1988. Regional Reduction in Air Pollutant Emissions as a Result of Increased Forest Residue Recovery. USDA Forest Service, Pacific Northwest Research Station; Seattle, Washington. PNW-86-472. 74 p.

Sandberg, D.V., D.E. Ward, R.D. Ottmar, C.C. Hardy, T.E. Reinhardt, and J.N. Hall. 1989. Mitigation of prescribed fire atmospheric pollution through increased utilization of hardwoods, piled residues, and long-needled conifers - Final Report. Environmental Impacts of Increased Residue/Slash Recovery. USDA Forest Service Pacific Northwest Research Station; Seattle, Washington. (PNW-85-423): 242 p.

Shelby B., and R. Speaker. 1990. Public attitudes and perceptions about prescribed burning. P. 253-260 in J. Walstad, S. Radosevich, and D. Sandberg, eds; Natural and prescribed fire in Pacific Northwest forests. Oregon State University Press; Corvallis, Oregon.

Thies, W. 1990. Effects of prescribed fire on diseases of conifers. P. 117-121 in J. Walstad, S. Radosevich, and D. Sandberg, eds; Natural and prescribed fire in Pacific Northwest forests. Oregon State University Press; Corvallis, Oregon.

Walstad, J.D., S.R. Radosevich, and D.V. Sandberg, eds. 1990. Natural and Prescribed Fire in Pacific Northwest Forests. 317 p. Oregon State University; Corvallis, Oregon.

Walstad, J., and K. Seidel. 1990. Use and benefits of prescribed fire in reforestation. P. 67-69 in J. Walstad, S. Radosevich, and D. Sandberg, eds; Natural and prescribed fire in Pacific Northwest forests. Oregon State University Press; Corvallis, Oregon.

III. Fisheries

Benda, L. 1990. The influence of debris flows on channels and valley floors in the Oregon Coast Range. USA Earth Surface Processes and Landforms. 15: 457-466.

Beschta, R. 1991. Stream habitat management for fish in the northwestern United States: The role of riparian vegetation. American Fisheries Society. 10: 53-58.

Bisson, P.A., T.P. Quinn, G.H. Reeves, and S.V. Gregory. 1992. Best management practices, cumulative effects, and long-term trends in fish abundance in Pacific Northwest river systems. p. 189-232. in R.J. Naiman (ed.) Watershed Management: Balancing Sustainability and Environmental Change. Springler-Verlag, New York. 542 p.

Gregory, S. V. 1993. The basis for integrated watershed and stream restoration. In Watershed and Stream Restoration Workshop Proceedings. D. Shively, ed. Annual meeting of the American Fisheries Society. August 26, 1993. Portland, OR.

Hawkins, C.P., J.L. Kershner, P.A. Bisson, M.D. Bryant, L.M. Decker, S.V. Gregory, D.A. McCullough, C.K. Overton, G. H. Reeves, R.J. Steedmen, and M.K. Young. 1993. A hierarchical approach to classifying stream habitat features. Fisheries 18: 3-12.

Hicks, B. J. 1990. The influence of geology and timber harvest on channel morphology and salmonid populations in Oregon Coast Range streams. Ph.D. Dissertation. Oregon State University, Corvallis, Oregon. 199 p.

Holtby, L.B., T.E. McMahon, and J.C. Scrivener. 1989. Stream temperatures and inter-annual variability in the emigration timing of coho salmon (Oncorhynchus kisutch) smolts and fry and chum salmon (O. keta) fry from Carnation Creek, British Columbia. Canadian Journal Fisheries and Aquatic Sciences. 46(8): 1396-1405.

Leidholt-Bruner, K., D. Hibbs, and W. McComb. 1992. Beaver dam locations and their effects on distribution and abundance of coho salmon fry in two coastal Oregon streams. Northwest Science. 66: 218-223.

Matter, W.J., R.W. Mannan, E.W. Bianchi, T.E. McMahon, J.H. Menke, and J.C. Tash. 1989. A laboratory approach for studying emigration. Ecology. 70(5): 1543-1546.

McMahon, T.E., and G.F. Hartman. 1989. Influence of cover complexity and current velocity on winter habitat use by juvenile coho salmon (Oncorhynchus kisutch). Canadian Journal of Fisheries and Aquatic Sciences. 46(9): 1551-1557.

Personius, S. F., H. M. Kelsey, and P. C. Grabau. 1993. Evidence for regional stream aggradation in the central Oregon Coast Range during the Pleistocene-Holocene transition. Quaternary Research 40:297-308.

Reeves, G.H., F.H. Everest, and J.R. Sedell. 1993. Diversity of juvenile anadromous salmonid assemblages in coastal Oregon basins with different levels of timber harvest. Transactions of the American Fisheries Society. 122(3): 309-317.

Ryan, S.E., and G.E. Grant. 1991. Downstream effects of timber harvesting on channel morphology in Elk River Basin, Oregon. Journal of Environmental Quality. 20: 60-72.

Schwartz, J. 1991. Influence of geomorphology and land use on distribution and abundance of salmonids in a coastal Oregon basin. Ph.D. Dissertation. 207 p.

Ursitti, Victoria. 1990. Riparian vegetation and abundance of woody debris in streams of southwestern Oregon. M.S. Thesis. Oregon State University, Corvallis, Oregon. 115 p.

Van Sickle, J. and S. Gregory. 1990. Modeling inputs of large woody debris into streams. Canadian Journal of Forest Research. 20: 1593-1601.

IV. General Silviculture

Garman, S.L., A.J. Hansen, D.L. Urban, and P.F. Lee. 1992. Alternative silvicultural practices and diversity of animal habitat in western Oregon: A computer simulation approach. P. 777-781 *In* Proceedings of the 1992 Summer Simulation Conference, Reno, NV. P Luker, ed. The Society for Computer Simulation, San Diego, CA.

Haeussler, S. 1987. Germination and first year survival of red alder seedlings in the Central Coast Range of Oregon. M.S. Thesis. Oregon State University, Corvallis, Oregon. 105 p.

Haeussler, S. and J.C. Tappeiner. 1993. Effect of the light environment on seed germination of red alder (*Alnus rubra*). Canadian Journal of Forest Research 23:1487-1491.

Hansen, A.J., S. Garman, P. Lee, and E. Horvath. 1993. Do edge effects influence tree growth rates in Douglas-fir plantations? Northwest Science. 67(2): 112-116.

Huffman, D. W., J. C. Tappeiner II, and J. C. Zasada. 1994. Regeneration of salal (*Gaultheria shallon*) in the central Coast Range forests of Oregon. Canadian Journal of Botany 72:39-51.

Kellogg, L., S. Pilkerton, and R. Edwards. 1991. Logging requirements to meet new forestry prescriptions. P. 43-49 *In* J. McNeel, and B. Anderson, eds; Forestry operations in the 1990 14th Annual Meeting of the Council on Forest Engineering; Nanaimo, British Columbia, Canada.

Knowe, S.A., and R.G. Shula. 1991. A stand table projection system for young Douglas-fir plantation. CRAFTS Technical Report; Unnumbered. 12 p. Oregon State University; Corvallis, Oregon.

Knowe, S.A., and R.G. Shula. 1993. Stand- and tree-level approaches to modeling the effects of interspecific competition on early growth and development of Douglas-fir plantations. P. 160-167 *In* Proceedings Vol. II of the International Conference of Forest Vegetation Management. Auburn, AL. April 27-May 1, 1992.

Knowe, S.A., T.B. Harrington, and R.G. Shula. 1992. Incorporating the effects of interspecific competition and vegetation management treatments into diameter distribution models for Douglas-fir saplings. Canadian Journal of Forest Resources. 22: 1255-1262.

Maxwell, B. March 1990. The population dynamics and growth of salmonberry (Rubus spectabilis) and thimbleberry (Rubus parviflorus). Ph.D. Dissertation. Oregon State University, Corvallis, Oregon. 286 p.

McComb, W. 1992. Modeling systems for prescription development. P. 377-394. in Black, H. C., ed. Silvicultural approaches to animal damage management in Pacific Northwest forests. USDA Forest Service; Portland, Oregon. PNW-GTR-287.

McComb, W. C., T. A. Spies, and W. H. Emmingham. 1993. Douglas-fir forests: Managing for timber and mature-forest habitat. Journal of Forestry. 91(12):31-42.

O'Dea, M. 1992. The clonal development of vine maple during Douglas-fir stand development. M.S. Thesis. Oregon State University, Corvallis, Oregon. 72 p.

O'Dea, M. E., J. C. Zasada, and J. C. Tappeiner. 1995. Vine maple clone growth and reproduction in managed and unmanaged coastal Oregon Douglas-fir forests. Ecological Applications. (in press)

Opalach, D., and S.R. Radosevich. 1988. A progress report on a growth model for young Douglas-fir stands. CRAFTS Technical Report. Unnumbered. 22 p. Oregon State University; Corvallis, Oregon.

Opalach, D., R.G. Wagner, B.D. Maxwell, J.H. Dukes Jr., and S.R. Radosevich. 1990. A growth model for young Douglas-fir stands: Progress Report #2. CRAFTS Technical Report. 54 p. and diskette. Oregon State University; Corvallis, Oregon.

Opalach, D., R.G. Wagner, B.D. Maxwell, J.H. Dukes Jr., and S.R. Radosevich. 1990. A simulation model of competing Douglas-fir and salmonberry. 11 p. in Proceedings: The IUFRO Forest Simulation Systems Conference. November 2-5, 1988. University of California-Berkeley, Berkeley, California. Bulletin 1927.

Shula, R.G., and S.A. Knowe. 1991. Regional Vegetation Management Model: Recommended data matrix, and sampling and data collection protocols. In CRAFTS Technical Report. Unnumbered. 15 p. Oregon State University, Corvallis, Oregon.

Shula, R.G., and S.A. Knowe. 1992. Regional Management Model: Revised dataset matrix, and sampling and data collection protocols. In CRAFTS Technical Report. Unnumbered. 5 p. Oregon State University; Corvallis, Oregon.

Spies, T.A., and S.P. Cline. 1988. Coarse woody debris in forests and plantations of Coastal Oregon. P. 5-24 in C. Maser, R.F. Tarrant, J.M. Trappe, and J.F. Franklin, tech. eds.; From the Forest to the Sea--A Story of Fallen Trees. General Technical Report PNW-GTR 220. USDA Forest Service, PNW Research Station; Portland, Oregon.

Spies, T.A., J.F. Franklin, and T.B. Thomas. December 1988. Coarse woody debris in Douglas-fir forests of western Oregon and Washington. Ecology. 69(6): 1689-1702.

Stein, W.I. 1990. The coastal reforestation systems study: Comparing alternatives. P. 61-62 in Evelyn Hamilton, compiler; Vegetation Management: An Integrated Approach--Proceedings of the Fourth Annual Vegetation Management Workshop. November 14-16, 1989. Vancouver, B.C. Research Br., Ministry of Forests; Victoria, B.C., Canada. Economic & Regional Development Agreement, Report 109.

Stein, W.I. 1991. Effectiveness and cost of six site preparation methods in the establishment and growth of Douglas fir. P. 208-214 in M.I. Menzies, G.E. Parrott, and L.J. Whitehouse, eds; Efficiency of Stand Establishment Operations. Forest Research Institute, Rotorua, New Zealand. New Zealand Ministry of Forestry, Forest Research Institute; FRI Bulletin 156.

Stein, W.I. 1990. Site preparation on coastal sites. P. 63-64 in Evelyn Hamilton, compiler; Vegetation Management: An Integrated Approach--Proceedings of the Fourth Annual Vegetation Management Workshop. November 14-16, 1989. Vancouver, BC. Research Br., Ministry of Forests; Victoria, B.C., Canada. Economic & Regional Development Agreement, Report 109.

Stein, W. I. 1994. Ten-year development of Douglas-fir and associated vegetation after different site preparation on Coast Range clearcuts. USDA Forest Service, Pacific Northwest Research Station; Research Paper PNW-RP-473. (in press)

Tappeiner, J., J. Zasada, P. Ryan, and M. Newton. 1991. Salmonberry clonal and population structure in Oregon forests: the basis for a persistent cover. Ecology. 72(2): 609-618.

Tappeiner, J.C. and J.C. Zasada. 1993. Establishment of salmonberry, salal, vine maple, and bigleaf maple seedlings in the coastal forests of Oregon. Canadian Journal of Forest Research 23:1775-1780.

Wagner, R.G., D. Opalach, B.D. Maxwell, J.H. Dukes Jr., and S.R. Radosevich. 1989. Interspecific Competition Index Projection System (ICIPS) for young Douglas-fir stands on the Siuslaw National Forest: Report No. 2. 77 p. and diskette. Oregon State University; Corvallis, Oregon.

Wagner, R., and J. Zasada. October 1991. Integrating Plant Autecology and Silvicultural Activities to Prevent Forest Vegetation Management Problems. The Forestry Chronicle. 67(5): 506-513.

Zasada, J., J. Tappeiner, and M. O'Dea. 1992. Clone structure of salmonberry and vine maple in the Oregon coast range. P. 56-60 in Proceedings: Symposium on ecology and management of riparian shrub communities. USDA, Forest Service, Intermountain Research Station; General Technical Report INT-289.

Zasada, J., J. Tappeiner, B. Maxwell, and D. Temple. 1990. Salmonberry clone and stand structure, and response to disturbance in the Oregon Coast Range. P. 51-52 in E. Hamilton, compiler; Proceedings: Vegetation Management: An Integrated Approach - the Fourth Annual Vegetation Management Workshop. Vancouver, B.C. Research Branch, Ministry of Forests; Victoria, B.C.

Zasada, J. and J. Tappeiner II. April 1990. Viability of bigleaf maple seeds after storage. Western Journal of Applied Forestry. 5(4): 52-55.

Zasada, J. C., J. C. Tappeiner II, B. D. Maxwell, and M. A. Radwan. 1994. Seasonal changes in shoot and root production and in carbohydrate content of salmonberry (*rubus spectabilis*) rhizome segments from the central Oregon Coast Ranges. Canadian Journal of Forest Research 24:272-277.

V. Landscape Ecology

Hansen, A.J., F. di Castri, and R.J. Naiman. 1988. Ecotones: What and why? In F. di Castri, A.J. Hansen, and M.M. Holland, eds; A New Look at Ecotones: Emerging International Projects on Landscape Boundaries. Biology International 17: 9-46.

Hansen, A.J., and F. di Castri, eds. 1992. Landscape boundaries: Consequences for biotic diversity and ecological flows. Springer-Verlag Ecological Studies Series; New York, NY. 432 p.

Hansen, A.J., S. L. Garman, B. Marks, and D. L. Urban. 1993. An approach for managing vertebrate diversity across multiple-use landscapes. Ecological Applications. 3(3): 481-496.

Hansen, A., T. Spies, F. Swanson, and J. Ohmann. 1991. Lessons from natural forests: Implications for conserving biodiversity in managed forests. BioScience. 41(3): 382-392.

Hansen, A.J., and D.L. Urban. 1992. Avian response to landscape pattern: The role of species life histories. Landscape Ecology. 7:163-180.

McComb, W.C., A.J. Hansen, and K. McGarigal. 1990. COPE-ing with fragmented landscapes in western Oregon: Forests by design or default? P. 155-158 in Proceedings: 1989 Society of American Foresters National Convention, Spokane, Washington; Sept 24-27, 1989. Bethesda, Maryland.

McGarigal, K. and B. J. Marks. 1994. FRAGSTATS: A spatial pattern analysis program for quantifying landscape structure. USDA Forest Service Gen. Tech. Rep. (in press)

VI. Miscellaneous Publications

Bacon, C., A. Hansen, T. McMahon, and A. Skaugset. July 1989. Compendium of Current Coast Range Research. Oregon State University; Corvallis, Oregon. 128 p.

Benda, L. 1995. Stochastic geomorphology in a humid mountain landscape. Ph.D. dissertation. University of Washington. 356 p.

Brodie, J.D. and J. Sessions. 1991. The evolution of analytic approaches to spatial harvest scheduling. In Proceedings of the 1991 Symposium on Systems Analysis in forest resources. Charleston, S.C. USDA Forest Service GTR-SE-74. p. 188-191.

Donahue, J.P., and A.E. Skaugset. 1990. Close-range target positioning using an exponential range function. Vol. 5, p. 8-17 in Proceedings: Annual Convention of the American Society for Photogrammetry. March 18-23 Denver, Colorado.

Entry, J. A., K. G. Mattson, and W. H. Emmingham. 1993. The influence of nitrogen on atrazine and 2,4-dichlorophenoxyacetic acid mineralization in grassland soils. Biology and Fertility of Soils 16:179-182.

Entry, J.A., P.T. Rygiewicz, and W.H. Emmingham. 1993. Accumulation of Cesium-137 and Strontium-90 in Ponderosa pine and Monterey pine seedlings. Journal of Environmental Quality 22:742-746.

Entry, J. A., P. T. Rygiewicz, and W. H. Emmingham. 1994. ^{90}SR Uptake by *Pinus Ponderosa* and *Pinus Radiata* seedlings inoculated with ectomycorrhizal fungi. Environmental Pollution 86:201-206.

Farnsworth, B. 1989. Overcoming the obstacles of effective photogrammetric mensuration. M.S. Thesis. Oregon State University, Corvallis, Oregon. 72 p.

Hansen, A. J., S. Garman, J. Weigand, D. Urban, W. McComb, and M. Raphael. 199X. Ecological and economic effects of alternative silvicultural regimes in the Pacific Northwest. Ecological Applications. (in press)

Hobbs, S.D., and R.E. McMahon. 1989. COPEing mechanisms. Forest World. 5(1): 27-29.

Kiser, J. 1990. Photogrammetric uses of new generation analytical stereoplotter in forestry. M.S. Thesis. Oregon State University, Corvallis, Oregon. 125 p.

Loucks, D.M., and T.B. Harrington. 1991. Herbaceous vegetation of forests of the West United States: an annotated bibliography. Oregon State University. 104 p.

McMahon, T., G. Tucker, and S. Etessami. June, 1992. Research Studies and Publications of the Coastal Oregon Productivity Enhancement (COPE) Program FY 1987-FY 1991. Oregon State University; Corvallis, Oregon. 40 p.

Paine, D.P., and R.J. McCadden. 1988. Simplified forest inventory using large-scale 70-mm photography and tariff tables. Photogrammetric Engineering and Remote Sensing. 54(10): 1423-1427.

Paredes V, G.L. 1988. Multiple resource planning: Spatial considerations with application to riparian zones. Ph.D. Dissertation. Oregon State University, Corvallis, Oregon. 143 p.

Paredes V, G.L. 1988. Hierarchical planning for forest systems. P. in Proceedings: Symposium on Systems Analysis in Forest Resources Symposium. USDA Forest Service, Rocky Mtn. For. and Range Exp. Sta.; Ogden, Utah. General Technical Report, RM-161.

Reuteback, S.E., and R.D. Shea. 1988. A method to control large-scale photos when surveyed ground control is unavailable. P. 231-236 in J.D. Greer, ed; Remote sensing for resource inventory, planning, and monitoring: Proceedings of Second Forest Service Remote Sensing Applications Conference:. Slidell, Louisiana. Am. Soc. for Photogrammetry and Remote Sensing; Falls Church, VA.

Ripple, W.J., S. Wang, D.L. Isaacson, and D.P. Paine. 1991. A preliminary comparison of Landsat Thematic Mapper and SPOT-1 HRV multispectral data for estimating coniferous forest volume. International Journal of Remote Sensing. 12(9): 1971-1977.

Torres, J. 1990. The use of relaxation to solve harvest scheduling problems with flow, wildlife habitat, and adjacency constraints. M.S. Thesis. Oregon State University, Corvallis, Oregon. 182 p.

Torres, J.M., and J.D. Brodie. 1990. Adjacency constraints in harvest scheduling: an aggregation heuristic. Canadian Journal of Forest Research. 20(7): 978-986.

Wang, Sen. 1988. Multitemporal classification of vegetation in the Oregon Coastal Range using Landset Multispectral Scanner Data. M.S. Thesis. Oregon State University, Corvallis, Oregon. 98 p.

Yoshimoto, A., J.D. Brodie, and G.L. Paredes V. 1988. Efficient optimization of an individual tree growth model. P. 154-162 in Proceedings: Systems Analysis in Forest Resources Symposium. USDA Forest Service PNW Corvallis, Oregon; General Technical Report, RM-FTR-161.

Yoshimoto, A., J. D. Brodie, and J. Sessions. 1994. A new heuristic to solve spatially constrained long-term harvest scheduling problems. Forest Science 40(3):365-396.

Yoshimoto, A., R. Haight, and J. Brodie. June 1990. A Comparison of the pattern search algorithm and the modified PATH algorithm for optimizing an individual tree model. Forest Science. 36(2): 394-412.

VII. Recreation and Social Sciences

Lindberg, K., R. L. Johnson, and B. Rettig. 199X. Attitudes, concerns and priorities of Oregon coast residents regarding tourism and economic development. Oregon Sea Grant, Corvallis, OR.

VIII. Riparian Silviculture

Chan, S., D. Minore, P. Owston, D. Hibbs, and P. Giordano. 1993. Regeneration of Riparian Areas: Interaction of Site and Vegetation Factors. p. 6-7 *In* Symposium Program Proceedings: Creating a Forest for the 21st Century, August 24-26, 1993. Portland, Oregon.

Entry, J. A., P. K. Donelly, and W. H. Emmingham. 1994. Microbial mineralization of atrazine and 2,4-dichlorophenoxyacetic acid in riparian pasture and forest soils. Biology and Fertility of Soils 18:89-94.

Froyd, C. 1992. The Effect of Riparian Buffer Strips on Salmonberry (Rubus Spectabilis) Structure in Alder Stands of the Oregon Coast Range. M.S. Thesis. Oregon State University, Corvallis, Oregon. 121 p.

Kellogg, L.D., S. J. Pilkerton and A. Skaugset. 1993. Harvesting for active riparian zone management and the effects on multiple forest resources. *In* Proceedings of the Council on Forest Engineering 16th Annual Meeting. Savannah, Georgia. 16 p.

Minore, D. and H.G. Weatherly. 1994. Riparian trees, shrubs, and forest regeneration in the coastal mountains of Oregon. New Forests 8:249-263.

IX. Root Diseases

Nelson, E.E. and R.N. Sturrock. 1993. Susceptibility of western conifers to laminated root rot (Phellinus weirii) in Oregon and British Columbia field tests. Western Journal of Applied Forestry. 8: 67-70.

Thies, W.G. and E.E. Nelson. 1994. Therapeutic treatment of mature, living Douglas-fir with chloropicrin, methylisothiocyanate, or Vorlex reduces root colonization by the pathogen Phellinus weirii. *In* Proceedings of the Eighth International Conference on root and butt rots. Wik, Sweden and Haikko, Finland. Aug. 9-16, 1993.

Thies, W.G. and E.E. Nelson. 1994. Live-tree fumigation of Douglas-fir. In Proceedings of Western International Forest Disease Work Conference, Boise, Idaho. Sept. 13-17, 1993.

Thies, W.G. 1994. So, you want to dig roots? P. in Proceedings of Western International Forest Disease Work Conference, Sept. 13-17, 1993, Boise, Idaho.

X. Slope Stability

Bransom, M. 1990. Soil engineering properties and vegetative characteristics for headwall slope stability analysis in the Oregon Coast Range. M.S. Thesis. Oregon State University, Corvallis, Oregon. 80 p.

Moriwaki, H., F. Swanson, and B. Wong. 1992. Movement, precipitation and groundwater fluctuation at the Condon Creek landslide, Oregon, U.S.A. P. 335-342 in Proceedings: The Japan-U.S. Workshop on snow avalanche, landslide, debris flow prediction and control. Organizing Committee, Tsukuba, Japan.

Wong, B. 1991. Controls on movement of selected landslides in the Coast Range and western Cascades, Oregon. M.S. Thesis. Oregon State University, Corvallis, Oregon. 193 p.

XI. Wildlife

Bruner, K. 1989. Effects of beaver on streams, streamside habitat, and Coho salmon fry populations in two coastal Oregon streams. M.S. Thesis. Oregon State University, Corvallis, Oregon. 100 p.

Gomez, D. 1992. Small-mammal and herpetofauna abundance in riparian and upslope areas of five forest conditions. M.S. Thesis. Oregon State University, Corvallis, Oregon. 118 p.

Hagar, J.C. 1993. Bird communities in commercially thinned and unthinned Douglas-fir stands of western Oregon. M.S. thesis. Oregon State University, Corvallis, Oregon. 110 p.

Hansen, A.J. 1990. Managing species diversity on forest lands. P. 109-114 in A.F. Pearson and D.A. Challenger, eds. Proceedings: Forests-Wild and Managed: Differences and Consequences. University of British Columbia; Vancouver, BC.

Hansen, A.J., J. Peterson, and E. Horvath. 1990. Responses of vertebrates to stand and edge type in managed forests of the Oregon Coast Range. Northwest Env. J. 6: 418-419.

Hansen, A.J., D. Urban, S. Garman; B. Noon, and W. McComb. 1990. Responses of wildlife habitats to forest management and climate change: A modeling approach. Northwest Env. J. 6: 419-420.

Hansen, A., D. Urban, and B. Marks. 1992. Avian community dynamics: The interplay of landscape trajectories and species life histories. P. 170-195 in A.J. Hansen, and F. di Castri, eds; Landscape Boundaries: Consequences for Biological Diversity and Ecological Flows. Ecological Studies Series; Springer-Verlag; New York, NY.

Hansen, A. J., R. Spencer, A. Moldenke and A. McKee. 1994. Ecological processes linking forest structure and avian diversity in western Oregon: A test of hypotheses. P. 217-247 *In* Biodiversity, Temperate Ecosystems, and Global change. T. Boyle and C. Boyle, eds. Springer Verlag, New York.

Hansen, A.J. and P. Hounihan. 199X. A test of ecological forestry: Canopy retention and avian diversity in the Oregon Cascades. *In* Biodiversity in Managed Landscapes: Theory and Practice. R. Szavo, ed. Oxford University Press, London. (in press)

Hansen, A. J., W. McComb, M. Raphael, M. Hunter, and R. Vega. 199X. Bird habitat relationships across a gradient of stand structure and ages in natural and managed forests in western Oregon. Ecological Applications. (in press)

Hayes, J. P. and P. Hounihan. 1993. Spatial and temporal variation in bat activity in echolocation monitoring studies. Bat Research News 34:111 (abstract).

Hayes, J. P., E. G. Horvath, and P. Hounihan. 1994. Securing live traps to small diameter trees for studies of arboreal mammals. Northwestern Naturalist 75:31-33.

Hayes, J. P. and P. Hounihan. 1994. Field use of the Anabat II bat detector system to monitor bat activity. Bat Research News 35:1-3.

Hayes, J. P. *Neotoma magister.* 199X. *In* Complete Book of North American Mammals, D. E. Wilson, ed. (in press)

Hayes, J. P., E. G. Horvath, and P. Hounihan. 199X. Townsend's chipmunk populations in Douglas-fir plantations and mature forests in the Oregon Coast Range. Canadian Journal of Zoology. (in press)

Hope, S. and W. C. McComb. 1994. Perceptions of implementation and monitoring of wildlife tree prescriptions on National Forests in western Washington and Oregon. Wildlife Society Bulletin 22:383-392.

McComb, W. C. 1994. Red alder: Interactions with wildlife. P. 131-138 *In* Biology and Management of Red Alder. D. E. Hibbs et al., eds. Oregon State University Press, Corvallis, OR.

McComb, W. C. 1994. High quality forestry: Implications for wildlife associated with old, unmanaged conifer stands. P. 74-92 *In* J. Weigand, et al eds. High Quality Forestry Workshop: The Idea of Long Rotations Proceedings. CINTRAFOR Special Paper-15, College of Forest Resources, University of Washington, Seattle.

McComb, W. C., R. G. Anthony, and K. McGarigal. 1991. Differential vulnerability of small mammals and amphibians to two trap types and two trap baits in Pacific Northwest forests. Northwest Science. 65(3): 109-115.

McComb, W., C. Chambers, and M. Newton. 1993. Small mammal and amphibian communities and habitat associations in red alder stands, Central Oregon Coast Range. Northwest Science. 67(3): 181-188.

McComb, W.C., and A.J. Hansen. 1991. An introduction to forest wildlife ecology. P. 93-122 in H. Black, ed. A silvicultural approach to animal damage management in the Pacific Northwest. US Forest Service, Pacific Northwest Experiment Station; Portland, Oregon. PNW-GTR-287.

McComb, W.C., K. McGarigal, and R.G. Anthony. 1993. Small mammal and amphibian abundance in streamside and upslope habitats of mature Douglas-fir stands, Western Oregon. Northwest Science. 67(1): 7-15.

McComb, W. C., T. A. Spies, and W. H. Emmingham. 1993. Stand management for timber and mature-forest wildlife in Douglas-fir forests. Journal of Forestry 91(12):31-42.

McGarigal, K. 1989. Problem Analysis on Riparian-Wildlife Relationships in the Oregon Coast Range Parts 1 (Text) & 2 (Tables, Figures, & Appendices). Unnumbered Report, 2 volumes. 108 p. Oregon State University; Corvallis, Oregon.

McGarigal, K., and W.C. McComb. 1989. Riparian wildlife information needs in western Oregon: land manager concerns. Trans. North American Wildlife and Natural Resources Conference. 54: 33-42.

McGarigal, K., and W.C. McComb. 1992. Streamside versus upslope breeding bird communities in the central Oregon coast range. Journal of Wildlife Management. 56(1): 10-23.

McGarigal, K. 1993. Relationship between landscape structure and avian abundance patterns in the Oregon Coast Range. Ph.D. Thesis. Oregon State University, Corvallis, Oregon. 254 p.

Suzuki, Nobuya. 1992. Habitat classification and characteristics of small mammal and amphibian communities in beaver-pond habitats of the Oregon Coast Range. M.S. Thesis. Oregon State University, Corvallis, Oregon. 91 p.

Urban, D.L., A.J. Hansen, D.O. Wallin, and P.J. Halpin. 1992. Life-history attributes and biodiversity. Scaling implications for global change. P. 173-195 in O. Sobrig, H.M. van Emden, and P.G. W.J. van Oordt, eds. Biological Diversity and Global Change. International Union of Biological Sciences, Monograph #8; Paris, France.

COPE PROGRAM BIBLIOGRAPHY

COPE REPORT ARTICLES
FY 1988 through FY 1994

November 1994

COPE REPORT ARTICLES FY 1988 - FY 1994

I. Economics

Schallau, C. 1988. A socioeconomic analysis of alternative forest resource management practices. COPE Report 1(2): 4.

II. Fire

Ottmar, R. Fall 1988. Characterization of the duff and soil thermal environment during broadcast burns in coastal forests of Oregon. COPE Report 1(4): 4-6.

Ottmar, R. July 1994. Sound application of fire on Oregon coastal lands. COPE Report 7(2&3):17-18.

Ottmar, R., and C. Hardy. 1990. Reducing air pollution from prescribed burning. COPE Report 3(1): 5-7.

Walstad, J.D. 1988. Prescribed fire in Pacific Northwest forests. COPE Report 1(1): 9-10.

III. Fisheries

Andrus, C., H. Froehlich, and M. Pyles. 1989. Peak flow prediction for small forested watersheds along the southern Oregon and northern California coast. COPE Report 2(4): 9-11.

Beschta, R., and C. Veldhuisen. 1991. Forest harvesting and coarse wood debris in the Central Oregon Coast range. COPE Report 4(2): 6-9.

Beschta, R.L. and C.N. Veldhuisen. 1991. A basin perspective of coarse woody debris. COPE Report 4(3): 6-7.

Connolly, P. 1993. Long-term response of resident coastal cutthroat trout to forest harvest: Description of study and progress report. COPE Report 6(1): 6-7.

Connolly, P. and J. D. Hall. 1994. Status of resident coastal cutthroat trout populations in maturing second-growth basins of the Oregon Coast Range. COPE Report 7(2&3):10-13.

Fieth, S. and S. Gregory. 1993. Influence of habitat complexity and food availability on the fish community in an Oregon coastal stream. COPE Report 6(2): 6-8.

Gregory, S., and J. Schwartz. 1992. Patterns of fish communities in the Alsea watershed study. COPE Report 5(1&2): 10-12.

House, R. and V. Crispin. 1990. A look at the Salem district's (BLM) stream restoration program. COPE Report 3(4): 6-7.

McMahon, T.E., and R. Rhew. 1989. Large woody debris and fish habitat in Coast Range streams. COPE Report 2(3): 2-4.

McMahon, T.E., and R. Rhew. 1991. A large woody debris database for Coast Range streams. COPE Report 4(3): 3-5.

Reeves, G.H. 1988. Distribution patterns of fish in the Elk River Basin. COPE Report 1(3): 4-6.

Reiter, M. L. and R. L. Beschta. 1994. Patterns of large wood and stream temperature in forested coastal streams. COPE Report 7(2&3):7-10.

Skaugset, A., J. Schroeder, and R. Rhew. 1991. The influence of large woody debris piece size and orientation on function in small streams: First-year results. COPE Report 4(2): 4-6.

Solazzi, M., T. Nickelson, S. Johnson, and J. Rodgers. 1988. New Study: Evaluating the effectiveness of habitat improvement structures in Oregon's coastal streams. COPE Report 1(3): 8-9.

Stednick, J. 1990. The new Alsea watershed study. COPE Report 3(2): 6-8.

Stednick, J. D. and T. J. Kern. 1992. Just when can we expect recovery? Update on the new Alsea watershed study (NAWS). COPE Report 5(3): 7-9.

IV. General Silviculture

Amaranthus, M., R. Molina, and D. Perry. 1990. Decaying logs provide long-lasting moisture reservoirs that aid forest recovery. COPE Report 3(2): 10-11.

Bacon, C., and S. McConnell. 1989. Alternatives to treatment with fire and herbicides: A synthesis of reforestation techniques. COPE Report 2(2): 3-4.

Hibbs, D. and K. Buermeyer. Hardwood silviculture cooperative. COPE Report 7(2&3):15-16.

Huffman, D. W. 1994. Establishment and regeneration of salmonberry and salal in the Coast Range forests of Oregon. COPE Report 7(2&3):17.

Kellogg, L., S. Pilkerton, and R. Edwards. 1991. Logging requirements to meet alternative silvicultural prescriptions. COPE Report 4(3): 8-11.

Marcot, B. 1990. Management of plantation structure and composition for timber and wildlife. COPE Report 3(2): 9-10.

McConnell, S. and T. Scoggins. 1989. Shelterwood cutting for hemlock regeneration. COPE Report 2(2): 9-11.

Minore, D. 1988. The natural regeneration of conifers and environment. COPE Report 1(4): 6-7.

Minore, D., S. Chan, P. Owston, H. Weatherly, D. Mikowski, C. Action, and V. Benner. 1994. Forest environment and understory vegetation before and after commercial thinning. COPE Report 7(2&3):16.

Opalach, D., and S.R. Radosevich. 1988. Modeling the growth of Douglas-fir and competing hardwood and shrub vegetation. COPE Report 1(3): 2-4.

Shula, R.G., and S.A. Knowe. 1988. Modeling competition effects in young stands: An update. COPE Report 4(1): 6-7.

Spies, T. and W.B. Cohen. 1992. An index of canopy height diversity. COPE Report 5(3): 5-7.

Stein, W. 1989. Duration of site preparation effects. COPE Report 2(3): 7-8.

Stein, W. I. 1994. The coastal reforestation systems study: An integrated comparison of alternatives. COPE Report 7(2&3):18.

Tappeiner, J., and J. Zasada. 1988. Ecology and management of shrubs and hardwoods in Oregon's Coast Range forests. COPE Report 1(4): 3-4.

Tucker, G., B. Emmingham, and S. Johnston. 1993. Commercial thinning and underplanting to enhance structural diversity of young Douglas-fir stands in the Oregon Coast Range. COPE Report 6(2): 4-6.

Zasada, J. 1992. Climbing trees to look for maple seedlings. COPE Report 5(1&2): 12-13.

Zasada, J., and J. Tappeiner. 1988. Effect of slash-burning on planting spot availability and planting efficiency. COPE Report 1(2): 5.

Zasada, J., J. Tappeiner, and B. Maxwell. 1989. Manual treatment of salmonberry or which bud's for you. COPE Report 2(2): 7-9.

Zasada, J., and J. Tappeiner. 1991. Understory treatment of salmonberry. COPE Report 4(2): 10-11.

V. Landscape Ecology

Cissel, J. 1990. An approach for evaluating stand significance and designing forest landscapes. COPE Report 3(4): 8-11.

Hansen, A.J. and F. Swanson. 1988. A landscape perspective for forest management. COPE Report 1(3): 6-8.

Hansen, A.J. 1989. Wildlife diversity and landscape patterns in Northwest Coastal Forests. COPE Report 2(3): 5.

Hansen, A., S. Garman, and D. Urban. 1991. Modeling forest and wildlife habitat dynamics under different management regimes. COPE Report 4(1): 3-5.

Hansen, A., S. Garman, and B. Marks. 1992. An approach for managing vertebrate diversity across multiple-use landscapes. COPE Report 5(1&2): 3-6.

Hemstrom, M. 1990. Alternative timber harvest patterns for landscape diversity. COPE Report 3(1): 8-11.

Means, J., F. Swanson, and A. Hansen. 1990. Integration of COPE drainage basin studies. COPE Report 3(3): 5-7.

Spies, T. A., J. E. Means, W. Cohen, N. Johnson, and S. Splean. 1994. Concepts and tools for estimating the effects of policies on stream and wildlife habitat and economies of the Oregon Coast Range province. COPE Report 7(2&3):17.

VI. Miscellaneous Publications

Andrus, C. 1989. Summary of precipitation data for the first half of the 1989 water year. COPE Report 2(3): 6-7.

Andrus, C. and H. Froehlich. 1989. Rainfall data now available for the central coast range. COPE Report 2(1): 6.

Andrus, C. 1990. Summary of precipitation data for the second half of the 1989 water year. COPE Report 3(1): 8.

Bacon, C., and A. Hansen. 1988. Review of first COPE workshop on integrated resource management. COPE Report 1(4): 2-3.

Brodie, J.D. 1989. Producing timber and non-timber outputs through forest land and riparian zone planning. COPE Report 2(1): 4-5.

Brodie, J.D. 1989. Spatial aspects of riparian and landscape management on commercial forest land in the coastal region. COPE Report 4(2): 9-10.

Brown, G. W. 1994. The ecology and management of Coast Range Forests. COPE Report 7(2&3):3-5.

Crawford, R. H. and C. Y. Li. January 1994. Initial assessments of biological nitrogen fixation associated with large woody residues of Oregon Coastal Forests. COPE Report 7(1):5-6.

Dent, L. 1993. Summary of 1993 water year winter precipitation. COPE Report 6(3): 2-4.

Furnish, J. 994. Perspectives on the management of Oregon Coast Range forests. COPE Report 7(2&3):19-20.

Kiser, J. and D. Paine. 1988. A new generation stereoplotter for aerial photo analysis. COPE Report 1(1): 10.

Kiser, J. and D. Paine. 1989. Accuracy of the analytical stereoplotter as an input device to a GIS. COPE Report 2(4): 7-9.

Lautz, K. 1991. Summary of precipitation for the first half of the 1991 water year. COPE Report 4(3): 8.

Lautz, K. 1991. Summary of precipitation data for April - November 1990. COPE Report 4(1): 10-11.

Lautz, K. 1992. Summary of precipitation data for the first half of the 1992 water year. COPE Report 5(3): 3-5.

McCalmon, M. and J. Franklin. 1992. "Biodiversity" on Seattle Water Department's Cedar River watershed. COPE Report 5(4): 7-9.

McMahon, T. 1990. Riparian management workshop review. COPE Report 3(3): 2-3.

Rhew, R. and J. Donahue. 1989. Geographic information systems: Practical prediction of patterns and processes or perpetual proliferation of problems? COPE Report 2(3): 8-10.

Starker, B. B. 1994. Private landowner perspectives of past and future forest management in the Oregon Coast Range. COPE Report 7(2&3):20-22.

VII. Recreation and Social Sciences

None

VIII. Riparian Silviculture

Andrus, C.W., and H.A. Froehlich. 1989. Blowdown of streamside buffers. COPE Report 2(1): 5-6.

Andrus, C., and H. Froehlich. 1992. Wind damage in streamside buffers and its effect on accelerated sedimentation in coastal Oregon streams. COPE Report 5(1&2): 7-9.

Bacon, C. 1989. Active management to establish conifers in alder-dominated riparian zones. COPE Report 2(3): 4-5.

Chan, S., D. Hibbs, and P. Giordano. 1993. Regeneration of coastal riparian areas: Second year tree performance. COPE Report 6(3): 4-6.

Emmingham, W. H. and K. Maas. 1994. Survival and growth of conifers released in alder-dominated coastal riparian zones. COPE Report 7(2&3):13-15.

Entry, J.A., and W. H. Emmingham. 1991. Hybrid poplar and red alder in coastal riparian zones for control of nonpoint-source pollution, fish and wildlife habitat, and wood fiber. COPE Report 4(4): 5-7.

Giordano, P., D.E. Hibbs, and S. Chan. 1991. Vegetation dynamics in managed coastal riparian areas. COPE Report 4(4): 3-5.

Gregory, S.V., B. Beschta, F. Swanson, G. Sedell, G. Reeves, and F. Everest. 1990. Abundance of conifers in Oregon's riparian forests. COPE Report 3(2): 5-6.

Hibbs, D. 1994. Dynamics of alder-dominated riparian zones. COPE report 7(2&3):22.

Hibbs, D., P. Giordano, and S. Chan. 1990. Managing riparian vegetation. COPE Report 3(3): 7-8.

Hibbs, D., P. Giordano, and S. Chan. 1991. Vegetation dynamics in managed coastal riparian areas. COPE Report 4(4): 3-5.

Horvath, E. and G. Tucker. 1992. Active management of riparian zones for multiple resources: Second year results of conifer release study. COPE Report 5(4): 2-4.

McConnell, S., and C. Bacon. 1989. Active management of riparian zones for multiple resources: Release of understory conifers. COPE Report 2(4): 2-4.

McConnell, S., and G. Tucker. 1991. Underplanting conifers in riparian forests: First year results. COPE Report 4(2): 2-4.

Minore, D. 1994. Water tables, flooding, and riparian trees. COPE Report 7(2&3):23-24.

Paine, D.P., and J. Kiser. 1988. Vegetation mapping and inventory of coastal riparian zones. COPE Report 1(1): 8-9.

Schrader, B., G. Tucker, and C. Bacon. 1992. Active management to establish conifers in alder-dominated riparian zones: Second-year results of conifer underplanting study. COPE Report 5(3): 2-3.

Sherwood, K. and H. A. Froehlich. 1994. Buffer strip dynamics in the western Oregon Cascades. COPE Report 7(2&3):18.

Skaugset, A., L. Kellogg, S. Pilkerton, and M. Miller. 1994. Active riparian management project: Preliminary logging operations research results. COPE Report 7(1):2-5.

Spies, T.A., R. Pabst, and J. Tappeiner. 1990. Vegetation patterns in riparian forests. COPE Report 3(4): 7-10.

IX. Root Diseases

Harrington, C. and W. G. Thies. 1994. Use of invasive treatments to control laminated root rot in living Douglas-fir: Effects on tree growth and survival. COPE Report 7(2&3):16-17.

Kastner, W. 1988. Management of laminated root rot in the Tillamook resource area of the Salem BLM district. COPE Report 1(4): 7-8.

Thies, W. G. and E. E. Nelson. 1994. Therapeutic treatment of mature, living Douglas-fir with chloropicrin, methyliosothio-cyanate, or vorlex reduces root colonization by the pathogen *Phellinus weirii*. COPE Report 7(2&3):18-19.

X. Slope Stability

Andrus, C.W., and Froehlich H.A. 1988. Unearthing ties between vegetation and landslides. COPE Report 1(1): 6-8.

Skaugset, A. 1989. Root reinforcement in shallow forest soils: Development of a model. COPE Report 2(2): 4-6.

Skaugset, A., and J. Donahue. 1990. Testing a root reinforcement model. COPE Report 3(1): 2-4.

Skaugset, A., H. Froehlich, and K. Lautz. 1993. Forest management on landslide prone sites: The effectiveness of headwall leave areas. COPE Report 6(1): 3-6.

XI. Wildlife

deCalesta, D. and R. Stussy. 1988. New study: Impact of forage improvement on Roosevelt elk in the coast range. COPE Report 1(2): 6.

Gomez, D., and R.G. Anthony. 1990. Influences of riparian vegetation on small mammal, amphibian and reptile communities. COPE Report 3(4): 4-6.

Hagar, J.C. and W.C. McComb. 1993. Bird communities in commercially thinned and unthinned Douglas-fir stands of western Oregon. COPE Report 6(3): 6-9.

Hansen, A.J. 1990. Wildlife workshop summary. COPE Report 3(1): 4-5.

Hansen, A., J. Petersen, and E. Horvath. 1990. Do wildlife species respond to stand and edge type in managed forests of the Oregon Coast Range? COPE Report 3(2): 3-4.

Hansen, A., and J. Peterson. 1989. Forest patterns and upland wildlife communities: An Adaptive COPE study. COPE Report 2(1): 3-4.

Hayes, J.P., E. Horvath, and P. Hounihan. 1993. Flying squirrel and chipmunk populations in young plantations: Preliminary results from the fall, 1992 trapping session. COPE Report 6(2): 4-6.

Hayes, J. and P. Hounihan. 1994. Habitat relationships and riparian zone associations of bats in managed forests in the Oregon Coast Range: A new adaptive COPE study. COPE Report 7(2&3):5-7.

McComb, W.C., and K. McGarigal. 1988. Wildlife use of riparian zones in Coast Range forests. COPE Report 1(2): 2-3.

McGarigal, K., and W. C. McComb. 1989. Providing pertinent riparian wildlife information - we'll try! COPE Report 2(4): 5-7.

McGarigal, K., and W. McComb. 1992. Streamside vs. upslope associations of breeding birds. COPE Report 5(4): 4-6.

McGarigal, K. and W. C. McComb. 1993. Streamside vs. upslope associations of small mammals and amphibians. COPE Report 6(1): 7-9.

McGarigal, K. and W. C. McComb. 1994. Riparian values for bird communities in the Oregon Coast Range. COPE Report 7(2&3):23.

Mills, L. S. 1994. Effects of forest fragmentation on small mammals in southwest Oregon. COPE Report 7(1):6-8.

Schreiber, B. and D. deCalesta. 1988. Bird use of snags on clearcuts in central coastal Oregon. COPE Report 1(1): 11.